

# eminence

of Italian Impression and uniqueness



**Crestona**<sup>™</sup>  
THE TILE INFINITY

**DOUBLE CHARGE** 800x800 mm  
**VITRIFIED TILES** 600x600 mm

Architectural  
**stoneware**

keeping up  
with the trends —

— which saw the  
different spaces,






Crestona™  
THE TILE INFINITY

with italians impressions.

the double charge collection of vitrified tiles gives this kind of classic marble a very modern and wholly original look, for a new audience seeking an entirely avant - garde decorative touch.





TROPICANA WHITE

600x600mm



TROPICANA WHITE

800x800mm





COLBY WHITE

800x800mm



COLBY WHITE

600x600mm



COLBY PINK

600x600mm



COLBY PINK

800x800mm





COLBY CREMA

800x800mm



COLBY CREMA

600x600mm



COLBY BEIGE

600x600mm



COLBY BEIGE

800x800mm



Architectural  
stoneware  
with italians impressions





COLBY PISTA

600x600mm



COLBY ALMOND

600x600mm



COLBY ALMOND

800x800mm





COLBY COFFEE

800x800mm



COLBY COFFEE

600x600mm



COLBY RUBY RED

600x600mm



COLBY RUBY RED

800x800mm





COLBY PEARL GRAY

800x800mm



COLBY PEARL GRAY

600x600mm



COLBY GRANITE

600x600mm






COLBY BLACK

800x800mm



COLBY BLACK

600x600mm



COLBY BLUE

600x600mm









COLBY FOREST GREEN

600x600mm



CHERISH SUPER WHITE

600x600mm



CHERISH SUPER WHITE

800x800mm



**DOUBLE  
CHARGE**  
VITRIFIED TILES

800x800mm  
600x600mm




 **HIGH  
GLOSS** |  **NANO  
shield tech.**




SPARKLE WHITE

600x600mm



STAR WHITE

600x600mm



STAR WHITE

800x800mm



**DOUBLE  
CHARGE**  
VITRIFIED TILES

800x800mm  
600x600mm



 **HIGH  
GLOSS** |  **NANO  
shield tech.**



ZED BLACK

600x600mm



CRESTA WHITE


600x600mm



CRESTA WHITE


800x800mm





CRESTA CREMA

800x800mm



CRESTA CREMA

600x600mm



ARTEM WHITE

600x600mm



Architectural  
stoneware  
with italians impressions





ARTEM CREMA

600x600mm

## TECHNICAL SPECIFICATION OF DOUBLE CHARGE VITRIFIED TILES

CHARACTERISTIC	STANDARD AS PER ISO-13006/EN14411 GROUP Bla	MEAN VALUE OF CRESTONA DOUBLE CHARGE	TEST METHOD
<b>REGULATORY PROPERTIES</b>			
Deviation in length & width	±0.5 %	±0.1 %	ISO-10545-2
Deviation in thickness	±5.0 %	±4.0 %	ISO-10545-2
Straightness in side	±0.5 %	±0.1 %	ISO-10545-2
Rectangularity	±0.5 %	±0.1 %	ISO-10545-2
Surface flatness	±0.5 %	±0.2 %	ISO-10545-2
Color difference	Unaltered	No change	ISO-10545-16
Glossiness	As per mfg	Min 90%	GLOSSOMETER
<b>STRUCTURAL PROPERTIES</b>			
Water absorption	< 0.50 %	< 0.05 %	ISO-10545-3
Apparent density	> 2.0 g/cc	> 2.10 g/cc	DIN 51082
<b>MASSIVE MECHANICAL PROPERTIES</b>			
Modulus of rupture	Min. 35 N/mm <sup>2</sup>	Min. 40 N/mm <sup>2</sup>	ISO-10545-4
Breaking strength	Min. 1300 N	Min. 2000 N	ISO-10545-4
Impact resistance	As per mfg.	Min. 0.55	ISO-10545-5
<b>SURFACE MECHANICAL PROPERTIES</b>			
Surface abrasion resistance	As per mfg	Min. Class-3	ISO-10545-7
MOH's hardness	As per mfg	Min. 4	EN 101
<b>THERMO HYGROMETRIC PROPERTIES</b>			
Frost resistance	No damage	No damage	ISO-10545-12
Thermal shock resistance	No damage	No damage	ISO-10545-9
Moisture expansion	Nil	Nil	ISO-10545-10
Thermal expansion (COE)	Max. 9.0 x 10 <sup>-6</sup>	Max. 6.5 x 10 <sup>-6</sup>	ISO-10545-8
Crazing resistance	As per mfg	Min. 10 Cycle	ISO-10545-11
<b>CHEMICAL PROPERTIES</b>			
Chemical resistance	No damage	No damage	ISO-10545-13
Stain resistance	Resistant	Resistant	ISO-10545-14
<b>SAFETY PROPERTIES</b>			
Slip resistance	As per mfg	> 0.40	ISO-10545-17
Fire resistance	As per mfg	Fireproof	N. A.
Lead & Cadmium given off by glazed tiles	As per mfg	Does not yield Pb & Cd	ISO-10545-15

## PACKING DETAIL

Size	Thickness	No. of Tiles/Box	Coverage Area	Coverage Area	Weight of Box
800x800mm	10mm (approx.)	3 pcs.	1.92 sq. mt.	20.67 sq. ft.	41 kgs. (approx.)
600x600mm	9mm (approx.)	4 pcs.	1.44 sq. mt.	15.50 sq. ft.	29 kgs. (approx.)





Crevita Granito Pvt. Ltd.

8-A National Highway,  
Matel Road,  
Ta.: Wankaner,  
Dist. Morbi - 363 622.  
(Gujarat) INDIA.

 [www.crestona.com](http://www.crestona.com)

 [sales@crestona.com](mailto:sales@crestona.com)

+91 90990 84564 / 65



Follow us on :      